



# Rubber tree ecophysiology and Climate Change

What do we know?

Philippe Thaler, Eric Gohet , Yann Nouvellon, Régis Lacote, Frédéric Gay and Frédéric Do





## Rubber ecophysiology and future climate

What will the climate be in the main rubber producing areas?

What will be the effects of higher T° on C assimilation?

What will be the effects of higher T° on tree growth?

What will be the effects of higher T° on latex production?

Adaptation of rubber trees to water stress?

almost nothing






#### What will the climate be in the main rubber producing areas?

#### Probable Global Climate scenarios are rather well-known

- But need to be downscalled to every local NR area
- Methodologies are available
- Good forecasts in some areas
- Need to be generalized or updated





Zomer et al. 2014 <a href="https://doi.org/10.1016/j.biocon.2013.11.028">https://doi.org/10.1016/j.biocon.2013.11.028</a>





• Some knowledge at leaf scale (Kositsup et al 2010)


Trees (2009) 23:357-365 DOI 10.1007/s00468-008-0284-x

#### ORIGINAL PAPER

INRAO

Photosynthetic capacity and temperature responses of photosynthesis of rubber trees (*Hevea brasiliensis* Müll. Arg.) acclimate to changes in ambient temperatures

Boonthida Kositsup · Pierre Montpied · Poonpipope Kasemsap · Philippe Thaler Thierry Améglio · Erwin Dreyer



Parameter	Growth temperature (°C)	
	18	28
V <sub>cmax25</sub> (μmol m <sup>-2</sup> s <sup>-1</sup> )	$26.1 \pm 1.8^{a}$	$43.9 \pm 2.9^{b}$
$E_{\rm aV}  ({\rm kJ \ mol}^{-1})$	$60.8 \pm 7.2^{a}$	$68.5 \pm 6.2^{b}$
$J_{\text{max}25} \text{ (umol m}^{-2} \text{ s}^{-1}\text{)}$	$50.8 \pm 9.9^{a}$	$77.4 \pm 11.2^{b}$
$E_{\rm aJ}$ (kJ mol <sup>-1</sup> )	$39.2 \pm 18.5^{a}$	$50.6 \pm 13.5^{b}$
$J_{\text{max25}}/V_{\text{cmax25}}$	$1.93 \pm 0.005^{a}$	$1.79 \pm 0.004^{b}$
LMA (g m <sup>-2</sup> )	$64.1 \pm 1.4^{a}$	$52.1 \pm 1.3^{b}$
SPAD	$41.6 \pm 0.9^{a}$	$55.6 \pm 0.9^{b}$
$N_m$ (%)	$2.72 \pm 0.05^{a}$	$4.08 \pm 0.05^{b}$
C (%)	$47.4 \pm 0.2^{a}$	$48.2 \pm 0.2^{b}$
$V_{\text{cmax25}}/N_{\text{a}} \; (\mu \text{mol g}^{-1} \; \text{s}^{-1})$	$14.8 \pm 0.3^{a}$	$21.2 \pm 0.3^{b}$
$J_{\text{max}25}/N_{\text{a}} \; (\mu \text{mol g}^{-1} \; \text{s}^{-1})$	$28.9 \pm 0.9^{a}$	$37.0 \pm 0.8^{b}$

We can predict photosynthetic parameters at future temperatures





But a long way to predict

whole tree C assimilation and plantation primary production (GPP)!

PS parameters x stomatal conductance x whole tree canopy x phenology....







# The way forward: upscalling flux measurements








Rubber Flux Tower at Chachoengsao http://asiaflux.net

**Primary Production** 

**Evapo-** transpiration


Water Use Efficiency









#### The way forward: modelling









Simulation of water and CO<sub>2</sub> fluxes at tree and plot scale





#### The way forward: modelling

Forest Ecology and Management 439 (2019) 55-69



Climbing the mountain fast but smart: Modelling rubber tree growth and latex yield under climate change




Xueqing Yang<sup>a,b,c</sup>, Sergey Blagodatsky<sup>a,\*</sup>, Carsten Marohn<sup>a</sup>, Hongxi Liu<sup>a</sup>, Reza Golbon<sup>a</sup>, Jianchu Xu<sup>c</sup>, Georg Cadisch<sup>a</sup>

- <sup>a</sup> Institute of Agricultural Sciences in the Tropics (Hans-Ruthenberg-Institute), University of Hohenheim, Sautgart, Germany
- b Key Laboratory of Economic Plants and Biotechnology, Kunming Institute of Botany, Chinese Academy of Sciences, Kunning, China
- World Agroforestry Centre (ICRAF), China & East Asia Office c.o. Kunming Institute of Botany, Kunming, China

Presented by S Blagodatsky in Session 2

#### **Example LUCIA Model**






#### What about growth and latex production?



# Biomass will be directly linked to C assimilation but growth /yield partitioning depends on C allocation




Journal of Experimental Botany, Vol. 71, No. 6 pp. 2028–2039, 2020 doi:10.1093/jxb/erz551



RESEARCH PAPER

In situ (13CO<sub>2</sub>) labelling of rubber trees reveals a seasonal shift in the contribution of the carbon sources involved in latex regeneration


Ornuma Duangngam<sup>1,2</sup>, Dorine Desalme<sup>3,8,0</sup>, Philippe Thaler<sup>4,5</sup>, Poonpipope Kasemsap<sup>2,\*</sup>, Jate Sathornkich<sup>2</sup>, Duangrat Satakhun<sup>1</sup>, Chompunut Chayawat<sup>1</sup>, Nicolas Angeli<sup>3</sup>, Pisamai Chantuma<sup>6</sup> and Daniel Epron<sup>3,7</sup>













Direct effects of higher T° on latex yield?

- Negative for latex flow?
- Day/night differences?

Greater diurnal temperature difference, an overlooked but important climatic driver of rubber yield

Yu Haiying et al. 2014. INDUSTRIAL CROPS AND PRODUCTS 62: 14-21

A key research topic will be the interactions between climate change and low tapping frequencies

Socio-economic x climate issue.














#### Adaptation of rubber trees to water stress?

- More knowledge from the numerous studies of adaptation to drier conditions in marginal areas, particularly in India and NE Thailand
- Recent findings show a promising clonal variability in response to water stress



"Growth and Hydraulic" (GRHYD) project: Bases of rubber clones adaptation to water constraints in immature period



Index of investment in canopy in rainy season












#### Adaptation of rubber trees to water stress?

- Important to untangle soil drought from atmospheric drought
- Strong regulation of transpiration with highVPD, even if water is available in soil.





Strong over-estimation of water use in many studies and models.

From Isarangkool et al 2011 (mature trees RRIM600)

Relationship between tree transpiration and reference evapotranspiration (ET0) in a well-watered period (REW > 0.5) with ET0  $\leq$  2.2 mm day-1 (open circle), a well-watered period when ET0 was higher than >2.2 mm day-1 (closed circle), others drought periods (REW < 0.5).









## Conclusion

- Little knowledge and huge gaps
- Potential risk of adverse effects of CC on growth, survival and yield
- Intensive research efforts to be promoted

Improving the ecophysiological functions in integrative models could be a relevant cooperative project for the network.











